
DeLEMPaD: Pilot Study on a Deep Learning Ensemble for Energy Market Prediction of Price Volatility and Direction

Christopher Odiakaose¹, Frances Emordi², Patrick Ejeh³, Nwanze Ashioba⁴, Christopher Odeh⁵,
Obiageli Attoh⁵ & Maduabuchuku Azaka⁶

^{1,3,4,5,6} Department of Computer Science, Dennis Osadebay University Anwai- Asaba, Nigeria

^{2,5} Department of Cybersecurity, Dennis Osadebay University Anwai-Asaba, Nigeria.

E-mails: osegalaxy@gmail.com, patrick.ejeh@dou.edu.ng,
ashioba.nwanze@dou.edu.ng, odeh.christopher@dou.edu.ng, azaka.maduabuchuku@dou.edu.ng
emordi.frances@dou.edu.ng, attoh,obiageli@dou.edu.ng

ABSTRACT

The energy market aims to manage risks associated with prices and volatility of oil asset. It is a capital-intensive market that is rippled with chaos and complex interactions among its demand-supply derivatives. Models help users forecast such interactions, to provide investors with empirical evidence of price direction. Our study sought to investigate the reasons for the unexpected plummet in price of the energy market using evolutionary modeling – which seeks to analyze input data and yield an optimal, complete solution that are tractable, robust and low-cost with tolerance of ambiguity, uncertainty and noise. We adopt the Gabillon's model to: (a) predict spots/futures prices, (b) investigate why previous predictions failed as to why price plummet, and (c) seek to critically evaluate values reached by both proposed deep learning model and the memetic algorithm by Okologume and Rotimi (2022).

Keywords: Web Server, HoneyPot, Integratio, Injection Approach, Malware Intrusion Detection

CISDI Journal Reference Format

Christopher Odiakaose, Frances Emordi, Patrick Ejeh, Nwanze Ashioba, Christopher Odeh, Obiageli Attoh & Maduabuchuku Azaka (2024): DeLEMPaD: Pilot Study on a Deep Learning Ensemble for Energy Market Prediction of Price Volatility and Direction. Computing, Information Systems, Development Informatics & Allied Research Journal. Vol 15 No 1, Pp 47-62. [dx.doi.org/10.22624/AIMS/CISDI/V15N1P4](https://doi.org/10.22624/AIMS/CISDI/V15N1P4). Available online at www.isteams.net/cisdijournal

1. INTRODUCTION

Nigeria is arguably the most influential country in Africa in view of its population, its vast hydrocarbon resources and her government's commitment to African Unity (Ojugo & Yoro, 2020). Nigeria is heavily dependent on its oil sector, which accounts for about 90% of her revenues and 41% of her Gross Domestic Product (Balogun, 2015; Okperigho et al., 2024). Despite the abundance, her energy sector has been stymied by antiquated infrastructure and slowed movement of goods via her ports (Allenor et al., 2015; Kamoru et al., 2017). Technological development in her energy sector is facilitated by a number of systemic policies directed at a growing network of institutions to promote the need scientific and technological capacity (Acemoglu et al., 2006; Shahane et al., 2019). Thus, institutional capacity building and co-ordination have remained part of strategies adopted by the Nigerian government for tackling the questions of technological backwardness (Ahmad et al., 2016; Akin et al., 2010; Brunton et al., 2020; Ofualagba & Ejofidomi, 2015; Ojugo & Ekurume, 2021b; Taravat & Del Frate, 2012).

Prior to the oil boom – Nigeria was an agro-based economy and was relatively, diversified (Liu & Liu, 2020; Yoro & Ojugo, 2019a). Her citizens were self-sufficient in food production – alongside enough to facilitate export (Luciani & Laneve, 2018; Seydi et al., 2021). She had quite a robust economy with functioning laws, institutions (Obinwa, 2022), social and economic infrastructure with limitless job opportunities. This situation changed with the discovery of crude oil in February of 1958. However, the 1970s birthed a new Nigeria – with a bulk of her revenue as well as the foreign exchange earnings accrued from the energy sector (Aghware et al., 2023b, 2023a).

This, saw an influx of foreign investors like Mobil, Agip, Texaco and Chevron vis-à-vis the enhanced concessionary rights that aimed to accelerate the exploration and production of petroleum. The overall, undue increased demand from the non-OECD nations, and the unstable Middle East drove prices up. Thus, globally – price fluctuations and volatilities became a welcomed normal (Al-Turjman et al., 2019; Armstrong & Vickers, 2020). Thus, prediction of oil price direction is useful for investors and market participants. But, the increased demand-supply and the heavy dependence of many nations on oil, continues to advance several complexities ranging from production to sales (Dhanya & Nagesh Kumar, 2011; Gunadhama, 2018; Obasi, Nwele et al., 2020; Oyemade & Ojugo, 2020, 2021; Pilžis & Vaišis, 2017).

With oil accounting for over 10% of actively traded assets, investors continue to seek effective means to trade (contract) in the future using empirical results in demand-supply derivatives (Duraismy et al., 2019) that further disposes them either positively or otherwise to the market. However, most investors are aware that the best way to react to new market data is not to take a position in the spot-price – since such decision is besieged by high transaction cost, storage and delivery costs, high premium among others inconveniences etc (Yoro, Aghware, Akazue, et al., 2023; Yoro & Ojugo, 2019b); Rather, they hedge for another asset, or speculate in hope of arbitrage opportunity. Thus, futures contracts are more attractive as an investor can react to new data for the right reason (Bayramov et al., 2015; Kim et al., 2013; Ojugo & Eboka, 2020; Ojugo & Yoro, 2013).

2. MATERIALS AND MACHINE LEARNING FRAMEWORKS

2.1 Review of Related Literatures

Previous studies have and continues to report inconsistencies and discrepancies relating to spot- and future-price. While, many others advance on investing on future prices/contracts; only a few advance how important future-pricing is – with many of such studies using analytical models (Akazue, Ojugo, Yoro, Malasowe, et al., 2022; Ampatzidis et al., 2020; Belanche & González, 2011; Laavanya & Vijayaraghavan, 2019).

Ojugo and Allenator (2017) explored a memetic (genetic algorithm trained neural network) algorithm to extend Gabillon's model. Their study noted that the energy market aims to manage risks associated with prices and volatility of oil asset. As a capital-intensive market, rippled with chaotic, complex and dynamic interaction among its demand-supply derivatives – investors sought to stay ahead of the tides with reliable data that steers their decisions in right direction. They used memetic algorithm to forecast the interactions of the various underlying parameters and provide investors with empirical evidence of the future contracts direction of oil price (Ojugo & Allenator, 2017).

Okologume and Rotimi (2022) investigated the chaotic feats in futures-prices, comparing the ARMA and GARCH linear models against the nonlinear ANN. They showed that ANN is statistically more significant and outperformed ARMA/GARCH as futures-price is stochastic and nonlinear (Ojugo & Otakore, 2018b; Okologume & Rotimi, 2022; Yoro, Aghware, Akazue, et al., 2023; Yoro, Aghware, Malasowe, et al., 2023). Psaros et al., (2022) in extending the works of Kulkarni and Haidar (2009) used a deep learning model to predict price direction and volatility. They observed errors in Kalkani and Haidar (2009) to include: (a) the use of raw unprocessed data in reinforcement ANN model, which is often rippled with noise, ambiguities and partial truth, and (b) training dataset used is quite old, (c) the controversial, unreliable nature of their rule-based system depends on a knowledgebase designed by expert (many experts' opinion vary on the same task) and thus, cannot be said to be more authentic, (d) their knowledgebase (and rules) were not made available for further validation, and (e) systemic error in their feedforward net design (treats all data as new). We observe and know that new data become historic data after some iteration, and should not be used (as in their claim) as it cannot help the network identify feats of interest (Kosamkar & Kulkarni, 2019; Psaros et al., 2022).

2.2. Motivation/Statement of Problem

A major challenge inherent in machine learning approach prediction is the selection of the various underlying feats of interest as input parameters with an outcomes to predict futures-price and volatility rate to help investors with decision pointers for their financial portfolio (Akpoiyibo et al., 2022). Thus, our study is motivated by the futures price direction (Ahmad et al., 2016; Ojugo & Otakore, 2020c; Ojugo & Yoro, 2021a; Okobah & Ojugo, 2018) as thus:

1. Does plummeting of the 'expected-rise' in futures-price imply poor and what implications does it hold? We seek to investigate what happened, why it happened and how it happened. What minor external/internal shocks influenced/spiked the plummet in the futures 'expected' price?
2. The chaotic and volatile nature of the energy-market makes accurate prediction imperative; But, just observing the spot-prices alone is insufficient as unknown input not present from the outset can yield inconclusive results along with too many false-positives and true-negatives error in the regression cum classification activities. Thus, what pre-processing of the available dataset, what sample-period updates and broadening of data coverage will make for accurate predictions?
3. Many dataset(s) are rippled with ambiguities, impartial truth, incompleteness and noise. All of these must be resolved via a robust search that effectively classifies data input and expected values. These may also lead to over-parameterization and over-training of datasets and classification algorithms cum models.
4. To avoid overtraining, over-parameterization (inadequate/improper parameter selection) and over-fitting of the model, we use a larger dataset to help in its generalization as it seeks underlying probability in data feat(s) of interest. Earlier models adopt hill-climbing with speed constraints that often gets them trapped at local maxima. The adoption of deep learning is to resolve statistical dependencies imposed by both the adopted method as well as by the dataset employed during encoding and pre-processing cum preparation.

Study seeks to investigate: (a) predicted trend with Okologume and Rotimi (2022) as benchmark model for accuracy and time convergence, and (b) use a deep learning ensemble to help overcome the shortfalls in the adoption of chaotic energy dataset. Deep learning models have proven to quite successfully, be adapted to handling such chaotic, dynamic and complex classification via a filtering technique that seeks to de-noise dataset via trend normalization employed to enhance adequate classification.

2.3. Data Sampling

A critical feat in modeling is dataset size and frequency. These affects/effects on the final result. For short-term forecast, high frequency data is preferred (i.e. daily); But, when available, it is quite costly to use. Thus, we use the less noisy weekly/monthly data. Another feat is data coverage for more data point used implies better generalization. Some modelers discard older data for change in economic states and conditions; This is because they believe that training models with such irrelevant, old data alongside current conditions can result in poor model generalization. OPEC data is available at: <https://investexcel.net/opec-basket-histor-excel.htm> (Ojugo & Otakore, 2020b, 2021).

In broadening our data length coverage, we treat all data (previous and current) as input for in-sample forecast, even if the data exhibit temporal dependence. A major error in their design is that as network grows larger via adding more data, feedforward net are practically difficult to implement. Thus, we seek to investigate why the plummet in price direction in such a short while, what parameters in the model volatilities necessitated the plummeting trend direction in the oil price.




Figure 1: Nigeria Bonny Light and Forcados Spot Price Direction from 1973 to 2018

2.4. The Benchmark Gabillion Model

The model assumes futures price depends on: (a) spot-price, and (b) cost to carry the physical oil. Investor’s attitude towards the spot-price risk(s) and expected increase in spot prices, are irrelevant to the pricing of a futures contract. Spot price is given by Eq. 2 – where $\mu(S)$ is mean (expected drift rate per unit in time), $\sigma(S)$ is standard deviation (volatility of the process), and dz is Wiener process as given by Eq. 1 (Konstantinidou et al., 2019; Sun et al., 2022):

$$dS = \mu(S)dt + \sigma(S)dz \quad (1)$$

Futures price for short-term, independent of stochastic process of the spot price with r as riskless interest rate, C_c as marginal carry cost, C_y as marginal convenience yield and C_p is marginal influence yield, yields Eq. 2:

$$F(S, z) = S e^{(r+C_c-C_y+C_p)z} \quad (2)$$

We include C_p shock for these reasons: (a) energy is about dominance. Nations seek to less dependent on others, for the more a nation depends on another – the more influence such nation she depends on, exerts her politics and policies over her, and (b) this creates new frontier for international politics with franchises made, nation policy interest aligned, treaties brokered; And thus, leads to off-channel sales via diversion tactics from non-OPEC nations, non-observance in limit placed by regulatory bodies like OPEC etc.

2.5. The Experimental Deep Learning Ensemble for Energy Market Prediction (DeLEMPaD)

Deep neural network seeks to learn useful feats by constructing a multi-layer net from vast amount of training data. It has improved forecast accuracy with deep architectures of input, output and multiple hidden layers. Each hidden layer conducts a non-linear transformation from a previous layer to the. A deep neural network is trained using two phases: (a) pre-trained, and (b) fine-tuned processes (Ju et al., 2020; Jung et al., 2021). Several model perform well given the benefits of their algorithms (Nosratabadi et al., 2020; Verma et al., 2020). They also can perform poorly when facing the complex and camouflaged data such as volatilities etc (Camargo & Young, 2019; De' et al., 2020; Iqbal et al., 2020; Ojugo & Nwankwo, 2021c; Sornam, 2020).

Thus, the proposed approach is employed to solve the challenges above by: (a) training dataset divides training process and calculate center points from each training point (Ojugo et al., 2021b, 2021a; Ojugo & Eboka, 2021; Ojugo & Oyemade, 2021), (b) each training data is trained by a corresponding DNN scaled the same as number of clusters so that each DNN learns all the various characteristics from each subset, (c) testing data subsets are divided into test datasets, which uses the previous cluster centers in its first step, and these subsets are applied to detect outlier by pre-trained DNNs, and (d) output of every DNN is aggregated for the final result of the spot and future price data/outliers (Allenator & Ojugo, 2017; Eboka & Ojugo, 2020; Ibor et al., 2023).

Our proposed model-based solution is divided into 3-steps (Ojugo & Eboka, 2018b; Ojugo & Nwankwo, 2021a, 2021b, 2021d):

1. **Step 1:** Data is divided into training and testing. Training data is clustered. Centers from clustering process are stored to serve as initialization cluster center for generating testing dataset clusters. Because data feats indicate similar attributes of each type in raw dataset, points in the training dataset with similar feats are aligned into groups and regarded as same subset. To improve the DNN-model, its performance, different cluster numbers and values of sigma are considered. Number of clusters range from 2 to 6, and sigma from 0.1 to 1.0. Samples are assigned to one cluster by similarity. The minimum distance from a data point to each cluster center is measured. Each point is assigned to a cluster. Training subsets generated by clusters are given as input to DNNs. In order to train different subsets, the number of DNNs is equal to the number of data subsets. The DNN architecture consists of five layers: two hidden, one input, one softmax and one output layer(s) respectively. Two hidden layers learn feats from each training subset, and the top layer is a five-dimensional output vector. Each training subset generated from the k th cluster center

is regarded as input data to feed into k th DNN respectively. Trained sub-DNN models are marked sub-DNN 1 to k .

2. **Step 2:** Testing dataset (subset of raw dataset) is used to generate k -datasets. The previous cluster center obtained from cluster in Step 1, are initialization cluster centers of the cluster algorithm in this step. The test sub-dataset are denoted as Test 1 through Test k (Malasowe et al., 2023).
3. **Step 3:** The k -test data subsets are fed into k sub-DNNs, which were completed by the k training data subsets in Step 1. The output of each sub-DNN is integrated as the final output and employed to analyse positive detection rates. Then, confusion matrix is used to analyse mining performance of generated rules.

Our proposed DNN model classifies data, its weights and thresholds via back-propagation learning. The input vectors map low-dimensional space with DAEs and SAE (Ojugo & Ekurume, 2021b, 2021a; Ojugo & Otakore, 2021; Ojugo & Yoro, 2021b) to discover patterns in the market data. The algorithm is detailed as:

Algorithm 1: DeLEMPaD Algorithm

Input: Dataset, cluster number, number of hidden-layer nodes HLN, number of hidden layers HL

Output: Final prediction results

1. Group dataset into 2 [training and testing dataset]. /*get the largest matrix eigenvectors and training data subsets*/
2. Obtain cluster center and result. /*We train each DNN with each training data subset*/
3. Learning rate, de-noising and sparsity parameters are set and the weight and bias are randomly initialized.
4. HLN is set 40-nodes for first and 20-nodes for second hidden layer.
5. Compute sparsity cost function
6. Parameter weights and bias are updated
7. Train k sub-DNNs corresponding to the training data subsets.
8. Fine-tune the sub-DNNs by using backpropagation to train them.
9. Final structure of trained sub-DNNs is obtained and labelled with each training data subset.
10. Divide test dataset into subsets with SC. Cluster center parameters from the training data clusters are used.
11. Test data subsets are used to test corresponding sub-DNNs, based on each corresponding cluster center between the testing and training data subsets. /*aggregate each prediction result*/
12. Results are generated by each sub-DNN, are integrated and the final outputs are obtained.
13. **return** classification result = final output

3. FINDINGS AND RESULT DISCUSSION

3.1. Ensemble Evaluation

For accuracy, we measure misclassification and corresponding improvement percentages for both training and test datasets as summarized in Tables 1 given by Eq. 3 and Eq. 4 respectively.

$$\text{Misclassification Rate} = \frac{\text{No. of Incorrectly Classified Rules}}{\text{No. of Sample set}} \quad (3)$$

$$\text{Improvement Percentage} = \frac{MR(A) - MR(B)}{MR(A)} \times 100 \quad (4)$$

Table 1: Misclassification Rate and Improvement Percentage for Each model

Model	Classification Errors		Improvement Percentages	
	Training Data	Testing Data	Training Data	Testing Data
Rule-Based GA	52.5%	23.2%	2.11%	3.6%
Neural Network (MLP)	48.4%	4.7%	2.32%	4.02%
Memetic (GANN)	19.6%	1.02%	0.09%	0.12%
DNN	1.23%	0.92%	0.09%	0.12%

Table 1 shows misclassification rate with GA, NN and GANN yielding 23.2%, 4.7% and 1.02% (for test dataset) respectively; while the proposed DNN model has a classification error of 0.92%. Consequently, they all promise an improvement rate of 3.6%, 4.02% and 0.12% respectively for the GA, NN and memetic GANN; while the proposed DNN promises an improvement rate same as the hybrid memetic GANN model.

3.2. Classification Accuracy and Convergence Time

With the benchmark models (namely: genetic algorithm GA, neural network NN and memetic algorithm GANN), we seek to compare how well our proposed DNN performs as seen in fig 2. Results shows that DNN outperformed all the other models. We observed that a trade-off with the memetic GANN is the ability of the researchers to resolve conflicts with data encoding from GA to NN and resolving the conflicts of statistical dependencies imposed on the hybrid; and parameter selection. This was found to have contributed to the speed limitation – though its merit is in its greater flexibility, adaptation and robustness of the hybrid model (Ojugo, Eboka, et al., 2015b).




Fig 2: Classification Accuracy of the benchmark models against the DNN

For the mean processing time required to converge – it is found that GANN outperformed our proposed model. This can be attributed to the fact that: (a) the hybrid model needs to first use GA as pre-processor to train the Neural network, (b) though such hybrids has structural dependencies with the underlying heuristics employed and conflicts in data encoding that is required, it is worthy to note that DNN can be found to be slower in its processing time due to the amount of hidden layers embedded in such model (Okonta et al., 2013, 2014; Wemembu et al., 2014).




Fig 3: Classification Accuracy of the benchmark models against the DNN

3.3. Experimental Results of Proposed Model

Figure 4 show futures-price direction monthly forecast for 2024. Spot-price is the monthly average oil price (dollars/barrel) and its volatility is estimated from prices in previous year. For 2017, oil price volatility varies between 1.9012 and 0.312; For 2025, volatility varied between 0.16 and 0.3542. Thus, we expect that in the year 2023 – price direction volatility will vary between 0.412 and 2.092, for a 12-months period (52 weeks) futures maturity. Thus, the oil price is expected to still go up due with demand; Rather, than plummet in the near future. This result is supported by Ojugo and Otakore (2020) (Ojugo et al., 2023; Ojugo & Eboka, 2018a; Ojugo & Otakore, 2020a).




Figure 4: Futures price volatility for 52-weeks

Thus, we can conclude that the price direction plummet may have been contributed by two (2) facts: (a) a change in condition due to the training of the model using older dataset, and (b) energy is about dominance and international politics plays a crucial role as displayed due to concerns, policies and vested interests. These, in time results in various shocks ranging from convenience yield, internal influences etc – to mention but a few (Khaki et al., 2020; Ojugo et al., 2014; Oladele et al., 2024; Segarra et al., 2020; Zala & Chaudhari, 2018). Figure 5 shows the expected spot and futures-price direction monthly forecast for 2020 to 2025.

The spot-price is the monthly average oil price (dollars/barrel) with volatility estimated from prices in previous year. For 2020, price volatility varies between 1.9012 and 0.312. For 2024, the price volatility varies between 0.16 and 0.3542; while for 2025 through to 2025, the price volatility varies from 0.412 to 2.092 for a 52-weeks futures maturity period. Thus, results shows that the price of oil will still go up due to demand from the OPEC and non-OPEC countries; Rather, than a plummet in the near future which agrees with (Ojugo et al., 2013; Ojugo, Aghware, et al., 2015; Ojugo, Eboka, et al., 2015a).




Figure 5. Predicted Result of Price Direction

Oil price direction emphasizes the role of interest rates and convenience yield (adjusted spot-futures spread) to confirm that spot price normally exceeds discounted futures-price. We explained earlier why such 'backwardation' is a welcomed norm; it can result to more hedging and speculations. We also noted it is far better to hold a physical asset than hold futures-contracts as posited by hedging. The convenience yield behaves non-linearly; And, price response to it behaves same. Thus, futures-price are informative insights about future-spot prices only – except when spot prices substantially exceed futures-price.

4. CONCLUSION

The proposed DNN model has a total of 56-rules were generated. Top rules were found to have fitness range [0.8, 0.865] and are estimated 80% good to be used in classification of market clustering dataset. This implies that achieving a set of good rules – is much better than single optimum rule, which in turn is better for such clustering dataset. For comparative benchmark models (GA, NN, GANN), rule generator used population of 400, $w_1 = 0.2$, $w_2 = 0.8$, 5000 epoch-evolutions and 0.05 probability of a solution to be mutated respectively (Akazue, Ojugo, Yoro, Ogheneovo, et al., 2022; Ojugo & Eboka, 2018c; Ojugo & Otakore, 2018a; Voke et al., 2023). Future price and price volatility is a continuous, 'inconclusive' and herculean task with always-changing and chaotic dynamism due to the complex nature of the data inherent with the energy market. A forecast only provides us with insights into expected values with continued enhancement of futures price via sample-period update and broadening of data coverage. With future- and spot-price forecast as very crucial – even though, quite expensive and costly.

Obtaining the best possible forecast is of paramount importance to many researches to aid investors with on-the-spot investment portfolios, power play and prowess as well as financial decisions.

REFERENCES

- Acemoglu, D., Bimpikis, K., & Ozdaglar, A. (2006). Price and capacity competition: Extended abstract. *44th Annual Allerton Conference on Communication, Control, and Computing 2006*, 3(December), 1307–1309.
- Aghware, F. O., Yoro, R. E., Ejeh, P. O., Odiakaose, C. C., Emordi, F. U., & Ojugo, A. A. (2023a). DeLClustE: Protecting Users from Credit-Card Fraud Transaction via the Deep-Learning Cluster Ensemble. *International Journal of Advanced Computer Science and Applications*, 14(6), 94–100. <https://doi.org/10.14569/IJACSA.2023.0140610>
- Aghware, F. O., Yoro, R. E., Ejeh, P. O., Odiakaose, C. C., Emordi, F. U., & Ojugo, A. A. (2023b). Sentiment analysis in detecting sophistication and degradation cues in malicious web contents. *Kongzhi Yu Juece/Control and Decision*, 38(01), 653.
- Ahmad, H. W., Zilles, S., Hamilton, H. J., & Dosselmann, R. (2016). Prediction of retail prices of products using local competitors. *International Journal of Business Intelligence and Data Mining*, 11(1), 19–30. <https://doi.org/10.1504/IJBIDM.2016.076418>
- Akazue, M. I., Ojugo, A. A., Yoro, R. E., Malasowe, B. O., & Nwankwo, O. (2022). Empirical evidence of phishing menace among undergraduate smartphone users in selected universities in Nigeria. *Indonesian Journal of Electrical Engineering and Computer Science*, 28(3), 1756–1765. <https://doi.org/10.11591/ijeecs.v28.i3.pp1756-1765>
- Akazue, M. I., Ojugo, A. A., Yoro, R. E., Ogheneovo, B., & Nwankwo, O. (2022). Improved Services Traceability And Management of A Food Supply Chain Using Block-Chain Network: Case of Nigeria. *Accepted in Indonesian Journal of Electrical Engineering and Computer Science*, 30(4).

- Akin, G. G., Aysan, A. F., Kara, G. I., & Yildiran, L. (2010). The failure of price competition in the Turkish credit card market. *Emerging Markets Finance and Trade*, 46(SUPPL. 1), 23–35. <https://doi.org/10.2753/REE1540-496X4603S102>
- Akpoyibo, P. T., Akazue, M. I., & Ukadike, I. D. (2022). Development of a floating surface water robotic oil spillage surveillance (SWROSS) System. *Global Scientific Journal*, 10(11), 2214–2230.
- Al-Turjman, F., Zahmatkesh, H., & Mostarda, L. (2019). Quantifying uncertainty in internet of medical things and big-data services using intelligence and deep learning. *IEEE Access*, 7, 115749–115759. <https://doi.org/10.1109/ACCESS.2019.2931637>
- Allenor, D., & Ojugo, A. A. (2017). A Financial Option Based Price and Risk Management Model for Pricing Electrical Energy in Nigeria. *Advances in Multidisciplinary & Scientific Research Journal*, 3(2), 79–90.
- Allenor, D., Oyemade, D. A., & Ojugo, A. A. (2015). A Financial Option Model for Pricing Cloud Computational Resources Based on Cloud Trace Characterization. *African Journal of Computing & ICT*, 8(2), 83–92. www.ajocict.net
- Ampatzidis, Y., Partel, V., & Costa, L. (2020). Agroviz: Cloud-based application to process, analyze and visualize UAV-collected data for precision agriculture applications utilizing artificial intelligence. *Computers and Electronics in Agriculture*, 174, 105457. <https://doi.org/10.1016/j.compag.2020.105457>
- Armstrong, M., & Vickers, J. (2020). Patterns of Price Competition and the Structure of Consumer Choice. *MPRA Paper*, 1(98346), 1–40.
- Balogun, T. F. (2015). Utility of Microwave and Optical Remote Sensing in Oil Spill Detection in the Mangrove Region of Nigeria. *Journal of Geoscience and Environment Protection*, 03(01), 16–21. <https://doi.org/10.4236/gep.2015.31003>
- Bayramov, E. R., Buchroithner, M. F., & Bayramov, R. V. (2015). Detection of oil pollution hotspots and leak sources through the quantitative assessment of the persistence and temporal repetition of regular oil spills in the caspian sea using remote sensing and gis. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 2(3W5), 451–457. <https://doi.org/10.5194/isprsannals-II-3-W5-451-2015>
- Belanche, L. A., & González, F. F. (2011). Review and Evaluation of Feature Selection Algorithms in Synthetic Problems. *Information Fusion*, 23, 34–54.
- Brunton, S. L., Noack, B. R., & Koumoutsakos, P. (2020). Machine Learning for Fluid Mechanics. *Annual Review of Fluid Mechanics*, 52(1), 477–508. <https://doi.org/10.1146/annurev-fluid-010518-040547>
- Camargo, J., & Young, A. (2019). Feature Selection and Non-Linear Classifiers: Effects on Simultaneous Motion Recognition in Upper Limb. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 27(4), 743–750. <https://doi.org/10.1109/TNSRE.2019.2903986>
- De', R., Pandey, N., & Pal, A. (2020). Impact of digital surge during Covid-19 pandemic: A viewpoint on research and practice. *International Journal of Information Management*, 55(June), 102171. <https://doi.org/10.1016/j.ijinfomgt.2020.102171>
- Dhanya, C. T., & Nagesh Kumar, D. (2011). Predictive uncertainty of chaotic daily streamflow using ensemble wavelet networks approach. *Water Resources Research*, 47(6), 1–28. <https://doi.org/10.1029/2010WR010173>
- Duraisamy, K., Iaccarino, G., & Xiao, H. (2019). Turbulence Modeling in the Age of Data. *Annual Review of Fluid Mechanics*, 51(1), 357–377. <https://doi.org/10.1146/annurev-fluid-010518-040547>
- Eboka, A. O., & Ojugo, A. A. (2020). Mitigating technical challenges via redesigning campus network for greater efficiency, scalability and robustness: A logical view. *International Journal of Modern Education and Computer Science*, 12(6), 29–45. <https://doi.org/10.5815/ijmecs.2020.06.03>
- Gunadharma, B. (2018). Oil-spill monitoring in Indonesia. *Global Scientific Journal*, 34(7)

- Ibor, A. E., Edim, E. B., & Ojugo, A. A. (2023). Secure Health Information System with Blockchain Technology. *Journal of the Nigerian Society of Physical Sciences*, 5(992), 1–8. <https://doi.org/10.46481/jnsps.2022.992>
- Iqbal, M., Putra, J., Anugerah, M. M., & Akbar, A. (2020). Sentinel 1 (SAR) and Sentinel 2 (MSI) Imagery Capabilities for Oil Spill Detection in Balikpapan Bay Kemampuan Citra Sentinel 1 (SAR) dan Sentinel 2 (MSI) dalam Pendeteksian Tumpahan Minyak di Teluk Balikpapan Sentinel 1 (SAR) and Sentinel 2 (MSI). 1(July 2019), 1–8.
- Ju, S., Lim, H., & Heo, J. (2020). Machine learning approaches for crop yield prediction with MODIS and weather data. *40th Asian Conference on Remote Sensing, ACRS 2019: Progress of Remote Sensing Technology for Smart Future, ACRS*, 1–4.
- Jung, J., Maeda, M., Chang, A., Bhandari, M., Ashapure, A., & Landivar-Bowles, J. (2021). The potential of remote sensing and artificial intelligence as tools to improve the resilience of agriculture production systems. *Current Opinion in Biotechnology*, 70, 15–22. <https://doi.org/10.1016/j.copbio.2020.09.003>
- Kamoru, B. A., Jaafar, A. Bin, Murad, M. A. A., Ernest, E. O., & Jabar, M. B. A. (2017). Spam Detection Approaches and Strategies: A Phenomenons. *International Journal of Applied Information Systems*, 12(9), 13–18. <https://doi.org/10.5120/ijais2017451728>
- Khaki, S., Wang, L., & Archontoulis, S. V. (2020). A CNN-RNN Framework for Crop Yield Prediction. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.01750>
- Kim, T. H., Yang, C. S., Ouchi, K., & Oh, Y. (2013). Application of the method of moment and Monte-Carlo simulation to extract oil spill areas from synthetic aperture radar images. *OCEANS 2013 MTS/IEEE - San Diego: An Ocean in Common, January*, 1–8.
- Konstantinidou, E. E., Kolokoussis, P., Topouzelis, K., & Sidiris-Moutzouris, I. (2019). An open source approach for oil spill detection using Sentinel-1 SAR images. *June*, 70. <https://doi.org/10.1117/12.2539256>
- Kosamkar, P. K., & Kulkarni, V. Y. (2019). Agriculture crop simulation models using computational intelligence. *International Journal of Computer Engineering and Technology*, 10(3), 3–19. <https://doi.org/10.34218/IJCET.10.3.2019.015>
- Laavanya, M., & Vijayaraghavan, V. (2019). Real Time Fake Currency Note Detection using Deep Learning. *International Journal of Engineering and Advanced Technology*, 9(1S5), 95–98. <https://doi.org/10.35940/ijeat.a1007.1291s52019>
- Liu, Z., & Liu, J. (2020). Detection of oil spill pollution on water surface using microwave remote sensing techniques Detection of oil spill pollution on water surface using microwave remote sensing techniques. *IOP Conference Series: Materials Science and Engineering*, 737(012249), 1–11. <https://doi.org/10.1088/1757-899X/737/1/012249>
- Luciani, R., & Laneve, G. (2018). Oil Spill Detection Using Optical Sensors: A Multi-Temporal Approach. *Satellite Oceanography and Meteorology*, October. <https://doi.org/10.18063/som.v0i0.816>
- Malasowe, B. O., Akazue, M. I., Okpako, E. A., Aghware, F. O., Ojie, D. V., & Ojugo, A. A. (2023). Adaptive Learner-CBT with Secured Fault-Tolerant and Resumption Capability for Nigerian Universities. *International Journal of Advanced Computer Science and Applications*, 14(8), 135–142. <https://doi.org/10.14569/IJACSA.2023.0140816>
- Nosratabadi, S., Imre, F., Szell, K., Ardabili, S., Beszedes, B., & Mosavi, A. (2020). *Hybrid Machine Learning Models for Crop Yield Prediction*. <http://arxiv.org/abs/2005.04155>
- Obasi, Nwele, J., Amuche N, N., & Elias A., U. (2020). Economics of Optimizing Value Chain in Agriculture Sector of Nigeria through Mechanised Crop Processing and Marketing. *Asian Journal of Basic Science & Research*, 02(01), 80–92. <https://doi.org/10.38177/AJBSR.2020.2109>

- Obinwa, U. S. (2022). Social Welfare Administration : A Study on Palliative Distribution Crisis in Abstract : *Research Journal on Perspective Report*, 1–22.
- Ofualagba, G. ., & Ejofidomi, T. . (2015). Review Paper on the Oil Spill Detection , Oil Spill Incidences and Cleanup By AIMABLE NIYOMUGABO. *Journal of Oil Spills*, 12(5), 1–10.
- Ojugo, A. A., Aghware, F. O., Yoro, R. E., Yerokun, M. O., Eboka, A. O., Anujeonye, C. N., & Efozia, F. N. (2015). Dependable Community-Cloud Framework for Smartphones. *American Journal of Networks and Communications*, 4(4), 95. <https://doi.org/10.11648/j.ajnc.20150404.13>
- Ojugo, A. A., Akazue, M. I., Ejeh, P. O., Odiakaose, C., & Emordi, F. U. (2023). DeGATraMoNN: Deep Learning Memetic Ensemble to Detect Spam Threats via a Content-Based Processing. *Kongzhi Yu Juece/Control and Decision*, 38(01), 667–678.
- Ojugo, A. A., & Allenotor, D. (2017). Forecasting Price Direction, Hedging and Spread Options in Oil Volatility. *International Journal of Economic Behavior and Organization*, 5(6), 114. <https://doi.org/10.11648/j.ijebo.20170506.11>
- Ojugo, A. A., Ben-Iwhiwhu, E., Kekeje, O. D., Yerokun, M. O., & Iyawa, I. J. (2014). Malware Propagation on Social Time Varying Networks: A Comparative Study of Machine Learning Frameworks. *International Journal of Modern Education and Computer Science*, 6(8), 25–33. <https://doi.org/10.5815/ijmecs.2014.08.04>
- Ojugo, A. A., & Eboka, A. O. (2018a). Assessing Users Satisfaction and Experience on Academic Websites: A Case of Selected Nigerian Universities Websites. *International Journal of Information Technology and Computer Science*, 10(10), 53–61. <https://doi.org/10.5815/ijitcs.2018.10.07>
- Ojugo, A. A., & Eboka, A. O. (2018b). Comparative Evaluation for High Intelligent Performance Adaptive Model for Spam Phishing Detection. *Digital Technologies*, 3(1), 9–15. <https://doi.org/10.12691/dt-3-1-2>
- Ojugo, A. A., & Eboka, A. O. (2018c). Modeling the Computational Solution of Market Basket Associative Rule Mining Approaches Using Deep Neural Network. *Digital Technologies*, 3(1), 1–8. <https://doi.org/10.12691/dt-3-1-1>
- Ojugo, A. A., & Eboka, A. O. (2020). Memetic algorithm for short messaging service spam filter using text normalization and semantic approach. *International Journal of Informatics and Communication Technology (IJ-ICT)*, 9(1), 9. <https://doi.org/10.11591/ijict.v9i1.pp9-18>
- Ojugo, A. A., & Eboka, A. O. (2021). Empirical Bayesian network to improve service delivery and performance dependability on a campus network. *IAES International Journal of Artificial Intelligence (IJ-AI)*, 10(3), 623. <https://doi.org/10.11591/ijai.v10.i3.pp623-635>
- Ojugo, A. A., Eboka, A. O., Yoro, R. E., Yerokun, M. O., & Efozia, F. N. (2015a). Framework design for statistical fraud detection. *Mathematics and Computers in Science and Engineering Series*, 50, 176–182.
- Ojugo, A. A., Eboka, A. O., Yoro, R. E., Yerokun, M. O., & Efozia, F. N. (2015b). Hybrid Model for Early Diabetes Diagnosis. *2015 Second International Conference on Mathematics and Computers in Sciences and in Industry (MCSI)*, 50, 55–65. <https://doi.org/10.1109/MCSI.2015.35>
- Ojugo, A. A., & Ekurume, E. O. (2021a). Deep Learning Network Anomaly-Based Intrusion Detection Ensemble For Predictive Intelligence To Curb Malicious Connections: An Empirical Evidence. *International Journal of Advanced Trends in Computer Science and Engineering*, 10(3), 2090–2102. <https://doi.org/10.30534/ijatcse/2021/851032021>
- Ojugo, A. A., & Ekurume, E. O. (2021b). Predictive Intelligent Decision Support Model in Forecasting of the Diabetes Pandemic Using a Reinforcement Deep Learning Approach. *International Journal of Education and Management Engineering*, 11(2), 40–48. <https://doi.org/10.5815/ijeme.2021.02.05>

- Ojugo, A. A., & Nwankwo, O. (2021a). Forging a Spectral-Clustering Multi-Agent Hybrid Deep Learning Model To Predict Rainfall Runoff In Nigeria. *International Journal of Innovative Science, Engineering and Technology*, 8(3), 140–147.
- Ojugo, A. A., & Nwankwo, O. (2021b). Modeling Mobility Pattern for the Corona-Virus Epidemic Spread Propagation and Death Rate in Nigeria using the Movement-Interaction-Return Model. *International Journal of Emerging Trends in Engineering Research*, 9(6), 821–826. <https://doi.org/10.30534/ijeter/2021/30962021>
- Ojugo, A. A., & Nwankwo, O. (2021c). Multi-Agent Bayesian Framework For Parametric Selection In The Detection And Diagnosis of Tuberculosis Contagion In Nigeria. *JINAV: Journal of Information and Visualization*, 2(2), 69–76. <https://doi.org/10.35877/454RI.jinav375>
- Ojugo, A. A., & Nwankwo, O. (2021d). Spectral-Cluster Solution For Credit-Card Fraud Detection Using A Genetic Algorithm Trained Modular Deep Learning Neural Network. *JINAV: Journal of Information and Visualization*, 2(1), 15–24. <https://doi.org/10.35877/454RI.jinav274>
- Ojugo, A. A., Obruche, C. O., & Eboka, A. O. (2021a). Empirical Evaluation for Intelligent Predictive Models in Prediction of Potential Cancer Problematic Cases In Nigeria. *ARRUS Journal of Mathematics and Applied Science*, 1(2), 110–120. <https://doi.org/10.35877/mathscience614>
- Ojugo, A. A., Obruche, C. O., & Eboka, A. O. (2021b). Quest For Convergence Solution Using Hybrid Genetic Algorithm Trained Neural Network Model For Metamorphic Malware Detection. *ARRUS Journal of Engineering and Technology*, 2(1), 12–23. <https://doi.org/10.35877/jetech613>
- Ojugo, A. A., & Otakore, D. O. (2018a). Redesigning Academic Website for Better Visibility and Footprint: A Case of the Federal University of Petroleum Resources Effurun Website. *Network and Communication Technologies*, 3(1), 33. <https://doi.org/10.5539/nct.v3n1p33>
- Ojugo, A. A., & Otakore, O. D. (2018b). Improved Early Detection of Gestational Diabetes via Intelligent Classification Models: A Case of the Niger Delta Region in Nigeria. *Journal of Computer Sciences and Applications*, 6(2), 82–90. <https://doi.org/10.12691/jcsa-6-2-5>
- Ojugo, A. A., & Otakore, O. D. (2020a). Computational solution of networks versus cluster grouping for social network contact recommender system. *International Journal of Informatics and Communication Technology (IJ-ICT)*, 9(3), 185. <https://doi.org/10.11591/ijict.v9i3.pp185-194>
- Ojugo, A. A., & Otakore, O. D. (2020b). Intelligent cluster connectionist recommender system using implicit graph friendship algorithm for social networks. *IAES International Journal of Artificial Intelligence*, 9(3), 497–506. <https://doi.org/10.11591/ijai.v9.i3.pp497-506>
- Ojugo, A. A., & Otakore, O. D. (2020c). Investigating The Unexpected Price Plummet And Volatility Rise In Energy Market: A Comparative Study of Machine Learning Approaches. *Quantitative Economics and Management Studies*, 1(3), 219–229. <https://doi.org/10.35877/454ri.qems12119>
- Ojugo, A. A., & Otakore, O. D. (2021). Forging An Optimized Bayesian Network Model With Selected Parameters For Detection of The Coronavirus In Delta State of Nigeria. *Journal of Applied Science, Engineering, Technology, and Education*, 3(1), 37–45. <https://doi.org/10.35877/454RI.asci2163>
- Ojugo, A. A., & Oyemade, D. A. (2021). Boyer moore string-match framework for a hybrid short message service spam filtering technique. *IAES International Journal of Artificial Intelligence*, 10(3), 519–527. <https://doi.org/10.11591/ijai.v10.i3.pp519-527>
- Ojugo, A. A., Ugboh, E., Onochie, C. C., Eboka, A. O., Yerokun, M. O., & Iyawa, I. J. B. (2013). Effects of Formative Test and Attitudinal Types on Students' Achievement in Mathematics in Nigeria. *African Educational Research Journal*, 1(2), 113–117. <http://search.ebscohost.com/login.aspx?direct=true&db=eric&AN=EJ1216962&site=ehost-live>
- Ojugo, A. A., & Yoro, R. E. (2013). Computational Intelligence in Stochastic Solution for Toroidal N-Queen. *Progress in Intelligent Computing and Applications*, 1(2), 46–56.

- Ojugo, A. A., & Yoro, R. E. (2020). Predicting Futures Price And Contract Portfolios Using The ARIMA Model: A Case of Nigeria's Bonny Light and Forcados. *Quantitative Economics and Management Studies*, 1(4), 237–248. <https://doi.org/10.35877/454ri.qems139>
- Ojugo, A. A., & Yoro, R. E. (2021a). Extending the three-tier constructivist learning model for alternative delivery: ahead the COVID-19 pandemic in Nigeria. *Indonesian Journal of Electrical Engineering and Computer Science*, 21(3), 1673. <https://doi.org/10.11591/ijeecs.v21.i3.pp1673-1682>
- Ojugo, A. A., & Yoro, R. E. (2021b). Forging a deep learning neural network intrusion detection framework to curb the distributed denial of service attack. *International Journal of Electrical and Computer Engineering*, 11(2), 1498–1509. <https://doi.org/10.11591/ijece.v11i2.pp1498-1509>
- Okobah, I. P., & Ojugo, A. A. (2018). Evolutionary Memetic Models for Malware Intrusion Detection: A Comparative Quest for Computational Solution and Convergence. *International Journal of Computer Applications*, 179(39), 34–43. <https://doi.org/10.5120/ijca2018916586>
- Okologume, C. ., & Rotimi, O. (2022). Comparative analysis of utilization options for stranded natural gas in Nigeria. *FUPRE Journal of Scientific and Industrial Research*, 6(4), 71–89.
- Okonta, E. O., Ojugo, A. A., Wemembu, U. R., & Ajani, D. (2013). Embedding Quality Function Deployment In Software Development: A Novel Approach. *West African Journal of Industrial & Academic Research*, 6(1), 50–64.
- Okonta, E. O., Wemembu, U. R., Ojugo, A. A., & Ajani, D. (2014). Deploying Java Platform to Design A Framework of Protective Shield for Anti- Reversing Engineering. *West African Journal of Industrial & Academic Research*, 10(1), 50–64.
- Okperigho, S. ., Nwozor, B., & Geteloma, V. . (2024). Deployment of an IoT Storage Tank Gauge and Monitor. *FUPRE Journal of Scientific and Industrial Research*, 8(1), 55–68.
- Oladele, J. K., Ojugo, A. A., Odiakaose, C. C., Emordi, F. U., Abere, R. A., Nwozor, B., Ejeh, P. O., & Geteloma, V. O. (2024). BEHeDaS: A Blockchain Electronic Health Data System for Secure Medical Records Exchange. *Journal of Computing Theories and Applications*, 2(1), 1–12. <https://doi.org/10.33633/jcta.v2i19509>
- Oyemade, D. A., & Ojugo, A. A. (2020). A property oriented pandemic surviving trading model. *International Journal of Advanced Trends in Computer Science and Engineering*, 9(5), 7397–7404. <https://doi.org/10.30534/ijatcse/2020/71952020>
- Oyemade, D. A., & Ojugo, A. A. (2021). An Optimized Input Genetic Algorithm Model for the Financial Market. *International Journal of Innovative Science, Engineering and Technology*, 8(2), 408–419. https://ijiset.com/vol8/v8s2/IJSET_V8_I02_41.pdf
- Pilžis, K., & Vaišis, V. (2017). Detection of Oil Product on the Water Surface with Thermal Infrared Camera. *Mokslas - Lietuvos Ateitis*, 9(4), 357–362. <https://doi.org/10.3846/mla.2017.1061>
- Psaros, A. F., Meng, X., Zou, Z., Guo, L., & Karniadakis, G. E. (2022). Uncertainty Quantification in Scientific Machine Learning: Methods, Metrics, and Comparisons. *Journal of Computational Physics*, 477, 111902. <https://doi.org/10.1016/j.jcp.2022.111902>
- Segarra, J., Buchailot, M. L., Araus, J. L., & Kefauver, S. C. (2020). Remote Sensing for Precision Agriculture: Sentinel-2 Improved Features and Applications. *Agronomy*, 10(5), 641. <https://doi.org/10.3390/agronomy10050641>
- Seydi, S. T., Hasanlou, M., Amani, M., & Huang, W. (2021). Oil Spill Detection Based on Multiscale Multidimensional Residual CNN for Optical Remote Sensing Imagery. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 14(November), 10941–10952. <https://doi.org/10.1109/JSTARS.2021.3123163>

- Shahane, S., Aluru, N. R., & Vanka, S. P. (2019). Uncertainty quantification in three dimensional natural convection using polynomial chaos expansion and deep neural networks. *International Journal of Heat and Mass Transfer*, 139(October), 613–631. <https://doi.org/10.1016/j.ijheatmasstransfer.2019.05.014>
- Sornam, M. (2020). Oilspill and Look-Alike Spots From Sar Imagery Using Otsu Method and Artificial Neural Network. *International Journal of Engineering Technologies and Management Research*, 4(11), 1–10. <https://doi.org/10.29121/ijetmr.v4.i11.2017.117>
- Sun, Z., Sun, S., Zhao, J., Ai, B., & Yang, Q. (2022). Detection of Massive Oil Spills in Sun Glint Optical Imagery through Super-Pixel Segmentation. *Journal of Marine Science and Engineering*, 10(11), 1630. <https://doi.org/10.3390/jmse10111630>
- Taravat, A., & Del Frate, F. (2012). Development of band ratioing algorithms and neural networks to detection of oil spills using Landsat ETM+ data. *Eurasip Journal on Advances in Signal Processing*, 2012(1). <https://doi.org/10.1186/1687-6180-2012-107>
- Verma, S., Bhatia, A., Chug, A., & Singh, A. P. (2020). *Recent Advancements in Multimedia Big Data Computing for IoT Applications in Precision Agriculture: Opportunities, Issues, and Challenges* (pp. 391–416). https://doi.org/10.1007/978-981-13-8759-3_15
- Voke, O. D., Akazue, M. I., Omede, E. U., Oboh, E. ., & Imianvan, A. . (2023). Survival Prediction of Cervical Cancer Patients using Genetic Algorithm-Based Data Value Metric and Recurrent Neural Network. *International Journal of Soft Computing and Engineering*, 13(2), 29–41. <https://doi.org/10.35940/ijscce.B3608.0513223>
- Wemembu, U. R., Okonta, E. O., Ojugo, A. A., & Okonta, I. L. (2014). A Framework for Effective Software Monitoring in Project Management. *West African Journal of Industrial and Academic Research*, 10(1), 102–115. <http://www.ajol.info/index.php/wajiar/article/view/105798>
- Yoro, R. E., Aghware, F. O., Akazue, M. I., Ibor, A. E., & Ojugo, A. A. (2023). Evidence of personality traits on phishing attack menace among selected university undergraduates in Nigerian. *International Journal of Electrical and Computer Engineering*, 13(2), 1943. <https://doi.org/10.11591/ijece.v13i2.pp1943-1953>
- Yoro, R. E., Aghware, F. O., Malasowe, B. O., Nwankwo, O., & Ojugo, A. A. (2023). Assessing contributor features to phishing susceptibility amongst students of petroleum resources varsity in Nigeria. *International Journal of Electrical and Computer Engineering (IJECE)*, 13(2), 1922. <https://doi.org/10.11591/ijece.v13i2.pp1922-1931>
- Yoro, R. E., & Ojugo, A. A. (2019a). An Intelligent Model Using Relationship in Weather Conditions to Predict Livestock-Fish Farming Yield and Production in Nigeria. *American Journal of Modeling and Optimization*, 7(2), 35–41. <https://doi.org/10.12691/ajmo-7-2-1>
- Yoro, R. E., & Ojugo, A. A. (2019b). Quest for Prevalence Rate of Hepatitis-B Virus Infection in the Nigeria: Comparative Study of Supervised Versus Unsupervised Models. *American Journal of Modeling and Optimization*, 7(2), 42–48. <https://doi.org/10.12691/ajmo-7-2-2>
- Zala, D. H., & Chaudhari, M. B. (2018). *Review on Use of “BAGGING” Technique in Agriculture Crop Yield Prediction Government Engineering College Gandhinagar , Gandhinagar , Gujarat , India*. 6(08), 675–677.